

STEP -431BL-FLBL-T



DESCRIPTION

Seat and backrest

- Soft upholstered seat and backrest.

Frame

- Powder coated metal frame.

FINISHES

METAL ELEMENTS (chrome/alu/black)



CHROME



ALU



BLACK

MICRO



Composition: 100% polyester

Weight: 160 g/m²

Abrasion Resistance: 50 000 Martindale cycles

Flammability: EN 1021-1, EN 1021-2

Other:

EN 71-1 safety of toys (mechanical and physical properties)

EN 71-2 safety of toys (flammability)

EN 71-3 safety of toys (migration of certain elements)

LEATHER IMITATION V



Composition: 100% polyester PVC coated


Weight: 460 g/m²

Abrasion Resistance: >=30 000 Martindale cycles

Flammability: the selected colours (marked as N) are fire resistant according to EN 1021-1, EN 1021-2, BS 5852-1

Other: easy to keep clean

OBAN



Composition: 100% polypropylene


Weight: 230 g/m²

Abrasion Resistance: grade A tested in accordance with EN 14465:2003

Flammability: EN 1021-1

Other: hygienic certificate by National Hygiene Institute in Poland

BASIC FABRIC C




Composition: 100% synthetic fibre

Weight: 225 g/m²

Abrasion Resistance: >=35 000 Martindale cycles

DIMENSIONS



seat width: 460
seat depth: 480

All rights reserved 2013 Nowy Styl Group

CONTACT

Nowy Styl Sp. z o.o.
Pużaka 49
38-400 Krosno
Tel. +48 13 43 76 100
Fax +48 13 43 62 732
info@nowystylgroup.com

Export Department

Mięsowicza 6
38-400 Krosno
Poland
Tel. +48 13 43 76 111
export@nowystylgroup.com

Marketing Department

Warszawska 15
32-086 Węgrzce
Poland
Tel. +48 12 63 98 602