














Iso





Stacking max. no of pcs	Net weight [kg]	Chair seat - width [mm]	Chair seat - depth [mm]	Model/Description	
10	6.7	470	410	 	ISO - 4-leg frame powder-coated in alu or black colour, - upholstered seat and backrest, black plastic covers. ISO 4L-xx xx GB
–	8.7	470	410	 	ISO CR - 4-leg chromium plated frame, - upholstered seat and backrest, black plastic covers. ISO 4L-CR xx GB
–	8.7	470	410	 	ISO ARM - 4-leg frame powder-coated in alu or black colour - black plastic armrests, - upholstered seat and backrest, black plastic covers. ISO 4L-xx ARM xx GB
10	6.7	470	410	 	ISO CR ARM - 4-leg chromium plated frame, - black plastic armrests, - upholstered seat and backrest, black plastic covers. ISO 4L-CR ARM xx GB
10	6.7	470	410	 	ISO BIANCO - 4-leg chromium plated frame, - upholstered seat and backrest, white plastic covers. ISO-BIANCO 4L-CR xx GB
10	6.5	470	410	 	ISO OLIMPIC - 4-leg frame powder-coated in alu or black colour, - upholstered seat, black plastic cover, - double-side upholstered backrest. ISO 4L-xx xx GB (BACKREST OLIMPIC)
10	6.5	470	410	 	ISO OLIMPIC CR - 4-leg chromium plated frame, - upholstered seat, black plastic cover, - double-side upholstered backrest. ISO 4L-CR xx GB (BACKREST OLIMPIC)
10		460	410	 	ISO ERGO MESH* - 4-leg frame powder-coated in alu or black colour, - upholstered seat with black plastic cover, OP mesh backrest. ISO-ERGO-MESH 4L-xx BA-xx SE-xx GB
10		460	410	 	ISO ERGO MESH* CR - 4-leg chromium plated frame, - upholstered seat with black plastic cover, OP mesh backrest. ISO-ERGO-MESH 4L-CR BA-xx SE-xx GB

*Dimension measured in accordance with EN 16139 standard.



xx - please specify upholstery or other finish colour code - see finishes.

Stacking max. no of pcs	Net weight [kg]	Chair seat - width [mm]	Chair seat - depth [mm]	Model/Description	
4	6.6	460	410		ISO ERGO MESH* CF - cantilever frame powder-coated in alu or black colour, - upholstered seat with black plastic cover, OP mesh backrest. ISO-ERGO-MESH CF-xx BA-xx SE-xx GB
					ISO ERGO MESH* CF-CR - cantilever chromium plated frame, - upholstered seat with black plastic cover, OP mesh backrest. ISO-ERGO-MESH CF-CR BA-xx SE-xx GB
10	5.8	470	410		ISO NET - 4-leg frame powder-coated in alu or black colour, - upholstered seat with black plastic cover, black mesh backrest. ISO-NET 4L-xx BA-NT01 SE-xx GB
					ISO NET CR - 4-leg chromium plated frame, - upholstered seat with black plastic cover, black mesh backrest. ISO-NET 4L-CR BA-NT01 SE-xx GB
4	6.6	470	410		ISO NET CF - cantilever frame powder-coated in alu or black colour, - upholstered seat with black plastic cover, black mesh backrest. ISO-NET CF-xx BA-NT01 SE-xx GB
					ISO NET CF-CR - cantilever chromium plated frame, - upholstered seat with black plastic cover, black mesh backrest. ISO-NET CF-CR BA-NT01 SE-xx GB
10	6.0	470	410		ISO MIX - 4-leg frame powder-coated in alu or black colour, - upholstered seat with black plastic cover, plastic backrest. ISO-MIX 4L-xx BA-xx SE-xx GB
					ISO MIX CR - 4-leg chromium plated frame, - upholstered seat with black plastic cover, plastic backrest. ISO-MIX 4L-CR BA-xx SE-xx GB

*Dimension measured in accordance with EN 16139 standard
 xx - please specify upholstery or other finish colour code - see finishes.


Stacking max. no of pcs	Net weight [kg]	Chair seat – width [mm]	Chair seat – depth [mm]	Model/Description	
12	5.4	460	410	 	ISO PLASTIK – 4-leg frame powder-coated in alu or black colour, – plastic seat and backrest. ISO-PLASTIK 4L-xx xx GB
					ISO PLASTIK CR – 4-leg chromium plated frame, – plastic seat and backrest. ISO-PLASTIK 4L-CR xx GB
5	5.4	460	410	 	ISO PLASTIK CFS – sled frame powder-coated in alu or black colour, – plastic seat and backrest. ISO-PLASTIK CFS-xx xx GB
					ISO PLASTIK CFS CR – sled chromium plated frame, – plastic seat and backrest. ISO-PLASTIK CFS-CR xx GB
5	6.7	470	410	 	ISO CFS – sled frame powder-coated in alu or black colour, – upholstered seat and backrest, black plastic covers. ISO CFS-xx xx GB
					ISO CFS CR – sled chromium plated frame, – upholstered seat and backrest, black plastic covers. ISO CFS-CR xx GB
5	5.4	460	400	 	ISO CFS WOOD – sled frame powder-coated in alu or black colour, – wooden seat and backrest. ISO CFS-xx WOOD-xx GB
					ISO CFS WOOD CR – sled chromium plated frame, – wooden seat and backrest. ISO CFS-CR WOOD-xx GB

*Dimension measured in accordance with EN 16139 standard
 xx – please specify upholstery or other finish colour code – see finishes.

Stacking max. no of pcs	Net weight [kg]	Chair seat - width [mm]	Chair seat - depth [mm]	Model/Description	
–	9.5	470	410		ISO TR – 4-leg frame powder-coated in alu or black colour, right hand plastic writing tablet (TR), – upholstered seat and backrest, black plastic covers. ISO 4L – xx TR GB
–	8.5	475	410		ISO TR-WOOD – 4-leg frame powder-coated in alu or black colour, right hand wooden writing tablet (TR-xx), – upholstered seat and backrest with black plastic covers. ISO 4L-xx xx TR-xx GB ISO CR TR-WOOD – 4-leg chromium plated frame, right hand wooden writing tablet (TR-xx), – upholstered seat and backrest with black plastic covers. ISO 4L-CR xx TR-xx GB

*Dimension measured in accordance with EN 16139 standard

xx – please specify upholstery or other finish colour code – see finishes.




Stacking max. no of pcs	Net weight [kg]	Chair seat - width [mm]	Chair seat - depth [mm]	Model/Description	
10	5.3	460	400		ISO WOOD - 4-leg frame powder-coated in alu or black colour, - wooden seat and backrest. ISO 4L-xx WOOD-xx GB
					ISO CR WOOD - 4-leg chromium plated frame, - wooden seat and backrest. ISO 4L-CR WOOD-xx GB
—	8.5	460	400		ISO WOOD TR - 4-leg frame powder-coated in alu or black colour, right hand wooden writing tablet (TR-xx), - wooden seat and backrest. ISO 4L-xx WOOD-xx TR-xx GB
					ISO CR WOOD TR - 4-leg chromium plated frame, right hand wooden writing tablet (TR-xx) , - wooden seat and backrest. ISO 4L-CR WOOD-xx TR-xx GB

*Dimension measured in accordance with EN 16139 standard
 xx - please specify upholstery or other finish colour code - see finishes.



Iso accessories



ISO ACCESSORIES

Model/Description	
	ISO CLICK - metal link integrated with frame, in the same finishing - dedicated for ISO 4-leg and ISO CFS, versions without armrests ISO-CLICK 4L-xx xx GB ISO-CLICK CFS-xx xx GB
	ISO LINK - metal link powder-coated in alu or black colour, - dedicated for ISO 4-leg without armrests. LINK-METAL 30 × 15 xx
	ISO LINK CR - chromium plated metal link, - dedicated for ISO 4-leg without armrests. LINK-METAL 30 × 15 CHROM
	ISO LINK PLASTIC REG - made of black polypropylene (PP), - width adjustable, - dedicated for ISO 4-leg, - ISO 4-leg ARM, 2 pcs are needed to connect 2 chairs. LINK-PLASTIC 30 × 15 REG.
	ISO LINK-PLASTIC - made of black polypropylene (PP), - dedicated for ISO 4-leg, - ISO-W 4-leg, 2 pcs are recommended to connect 2 chairs. ISO LINK-PLASTIC 30 × 15
	WRITING TABLET TR ISO WOOD - right hand version, - black plastic armrest, - wooden table top, - dedicated for ISO 4-leg and CFS versions. ZESP.PULPIT DR.KONF + PODŁ.BR-ISO KONF.PRAWY 1.xx
	WRITING TABLET TL ISO WOOD - left hand version, - black plastic armrest, - wooden table top, - dedicated for ISO 4-leg and CFS versions. ZESP.PULPIT DR.KONF + PODŁ.BR-ISO KONF.LEWY 1.xx
	WRITING TABLET TR ISO PLASTIC - right hand version, - black plastic armrest, - black plastic table top, - dedicated for ISO 4-leg and CFS versions. ZESP.PULPIT KONF. + PODŁ.BR-ISO PRAWY
	WRITING TABLET TL ISO PLASTIC - left hand version, - black plastic armrest, - black plastic table top, - dedicated for ISO 4-leg and CFS versions. ZESP.PULPIT KONF. + PODŁ.BR-ISO LEWY

ISO ACCESSORIES

Model/Description	
	WRITING TABLET ISO-AS MA RIGHT – right hand version – frame powder-coated in alu or black colour, – melamine faced chipboard table top (MA-xx*), thickness 18 mm, – dedicated for ISO 4-leg and CFS versions. PULPIT KPL. ISO-AS PRAWY xx MA-xx
	WRITING TABLET ISO-AS MA LEFT – left hand version, – frame powder-coated in alu or black colour, – melamine faced chipboard table top (MA-xx*), thickness 18 mm, – dedicated for ISO 4-leg and CFS versions. PULPIT KPL. ISO-AS LEWY xx MA-xx
	WRITING TABLET ISO-AS CR MA RIGHT – right hand version, – frame chromium plated, – melamine faced chipboard table top (MA-xx*), thickness 18 mm, – dedicated for ISO 4-leg and CFS versions. PULPIT KPL. ISO-AS PRAWY CR MA-xx
	WRITING TABLET ISO-AS CR MA LEFT – left hand version, – frame chromium plated, – melamine faced chipboard table top (MA-xx*), thickness 18 mm, – dedicated for ISO 4-leg and CFS versions and CFS versions. PULPIT KPL. ISO-AS LEWY CR MA-xx
	BASKET – powder-coated in alu or black colour, – dedicated for ISO 4-leg versions. KOSZYK BASKET xx
	BASKET – chromium plated, – dedicated for ISO 4-leg versions. KOSZYK BASKET CR
	ISO ARMRESTS SET – set of 2 armrests – made of black polyurethane (PU), – dedicated for ISO 4-leg and CFS versions. ZESPÓŁ PODŁOK.BR-ISO (KARTON)
	ISO CART – cart for transporting of stacked chairs – up to 30 pcs, – powder-coated in black colour. ISO 4L – 30 pcs (3 × 10 piles) ISO CFS – 15 pcs (3 × 5 piles) ISO CF – 12 pcs (3 × 4 piles)
	UNIVERSAL CHAIR CART – see CART TABLE